

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

SECTION 1: Identification

1.1 Product identifier

Trade name **Agent 99**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Vehicle polishing compound

1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC
10963 Leroy Drive
Northglenn CO 80233
United States

Telephone: 1.800.875.6320, 1.303.289.6320
e-mail: info@bbblending.com
Website: bbblending.com

e-mail (competent person) btirrell@bbblending.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500
24 hr emergency information

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.9	specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS07, GHS08



- Hazard statements

H315 Causes skin irritation.

H372 Causes damage to organs through prolonged or repeated exposure.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

- Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P314	Get medical advice/attention if you feel unwell.
P321	Specific treatment (see on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling Kieselguhr, soda ash flux-calcined

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Hazardous ingredients acc. to GHS				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
silica, microcrystalline	CAS No 1317-95-9	20 - < 40		IOELV
142 Solvent	CAS No 64742-47-8	12 - < 20	Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Flam. Liq. 4 / H227	
Kieselguhr, soda ash flux-calcined	CAS No 68855-54-9	12 - < 20	Acute Tox. 4 / H332 STOT RE 1 / H372	
pine oil	CAS No 8002-09-3	1 - < 3	Eye Irrit. 2A / H319 Flam. Liq. 4 / H227	

Notes

IOELV: Substance with a community indicative occupational exposure limit value

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	tripoli	1317-95-9	PEL		0.05					r	29 CFR 1910.1000

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur

r

respirable fraction

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Kieselguhr, soda ash flux-calcined	68855-54-9	DNEL	0.05 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Kieselguhr, soda ash flux-calcined	68855-54-9	PNEC	100 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Kieselguhr, soda ash flux-calcined	68855-54-9	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (viscous)
Color	red brown
Odor	pine

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Other safety parameters

pH (value)	8 – 9 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101.3 kPa >200 °C at 760 mmHg
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	3.7 kPa at 37.8 °C
Density	1.231 g/ml 10.26 lb/gal
Vapor density	this information is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined

Viscosity

- Kinematic viscosity	8,500 cSt at 25 °C
- Dynamic viscosity	10,464 cP

Explosive properties	none
Oxidizing properties	none

9.2

Other information	there is no additional information
--------------------------	------------------------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Kieselguhr, soda ash flux-calcined	68855-54-9	inhalation: dust/mist	2.6 mg _i /4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
142 Solvent	64742-47-8	LL50	5 mg/l	fish	96 h
142 Solvent	64742-47-8	EL50	1.4 mg/l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
142 Solvent	64742-47-8	LL50	17 mg/l	fish	24 h
142 Solvent	64742-47-8	EL50	4.6 mg/l	aquatic invertebrates	24 h
Kieselguhr, soda ash flux-calcined	68855-54-9	EC50	>1,000 mg/l	microorganisms	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

SECTION 14: Transport information

- | | |
|--|---|
| 14.1 UN number | not assigned |
| 14.2 UN proper shipping name | not assigned |
| 14.3 Transport hazard class(es) | not assigned |
| 14.4 Packing group | not assigned |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Special precautions for user | There is no additional information. |
| 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations specific for the product in question**
- National regulations (United States)**
- Superfund Amendment and Reauthorization Act (SARA TITLE III)**
- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)
none of the ingredients are listed
 - Specific Toxic Chemical Listings (EPCRA Section 313)
none of the ingredients are listed
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**
- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)
none of the ingredients are listed
- Clean Air Act**
- none of the ingredients are listed
- 15.1.5 New Jersey Worker and Community Right to Know Act**
0.5



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Right to Know Hazardous Substance List

Name acc. to inventory	CAS No	Remarks	Classifications
pine oil	8002-09-3		F2
SILICA, TRIPOLI (TRIPOLI)	1317-95-9		CA

Legend

CA Carcinogenic
F2 Flammable - Second Degree

15.1.5 California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

0.6

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Chronic: chronic hazard
Flammability: flammability hazard
Health: health hazard
Personal protection: personal protective equipment (PPE) for normal use
Physical hazard: reactivity

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Country	Inventory	Status
CA	DSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.3	Details of the supplier of the safety data sheet: B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States Telephone: 1.800.875.6320, 1.303.289.6320 Telefax e-mail: info@bbblending.com Website: bbblending.com	Details of the supplier of the safety data sheet: B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States Telephone: 1.800.875.6320, 1.303.289.6320 e-mail: info@bbblending.com Website: bbblending.com	yes
1.3	Competent person responsible for the SDS: Robert Blahnik		yes
1.3	e-mail (competent person): bblahnik@bbblending.com		yes
1.3		e-mail (competent person): btirrell@bbblending.com	yes
1.4	Emergency information service: USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency telephone number.	Emergency information service: USA 1.800.535.5053, INTL 1.352.323.3500 24 hr emergency information	yes
2.1	Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): Annex - Hazard class and category - Hazard statement code(s)	Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)	yes
2.1		Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.1	Remarks: For full text of H-phrases: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.2	Hazard statements		yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2	Precautionary statements		yes
2.2	Precautionary statements - prevention		yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Precautionary statements - storage		yes
2.2		Precautionary statements - storage: change in the listing (table)	yes
2.2	Precautionary statements - disposal		yes
2.2		Precautionary statements - disposal: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2		- Hazardous ingredients for labelling: Kieselguhr, soda ash flux-calcined	yes
2.3		Hazards not otherwise classified	yes
2.3		Hazards not otherwise classified: change in the listing (table)	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Hazardous ingredients acc. to GHS: change in the listing (table)	yes
4.1	Following inhalation: Provide fresh air.	Following inhalation: If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physi- cian. Provide fresh air.	yes
4.1	Following skin contact: After contact with skin, take off immediately all con- taminated clothing, and wash immediately with plenty of water.	Following skin contact: Wash with plenty of soap and water.	yes
4.1	Following eye contact: Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.	Following eye contact: Remove contact lenses, if present and easy to do. Continue rinsing.	yes
5.2	Hazardous combustion products: nitrogen oxides (NOx)	Hazardous combustion products: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)	yes
6.4	Reference to other sections: Hazardous combustion products: see section 5. Per- sonal precautions: see section 8. Incompatible ma- terials: see section 10. Disposal considerations: see section 13.	Reference to other sections: Hazardous combustion products: see section 5. Personal protective equipment: see section 8. In- compatible materials: see section 10. Disposal con- siderations: see section 13.	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
7.2	Managing of associated risks		yes
7.2	Incompatible substances or mixtures: Observe compatible storage of chemicals.		yes
8.1	National limit values		yes
8.1	Occupational exposure limit values (Workplace Exposure Limits)		yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1	Relevant DNELs/DMELs/PNECs and other threshold levels: No data available.		yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Odor: pine		yes
9.1		Odor: pine	yes
9.1	Flash point: >100 °C at 101.3 kPa >200 °C at 760 mmHg (closed cup)	Flash point: >100 °C at 101.3 kPa >200 °C at 760 mmHg	yes
9.1	Vapor pressure: 31.69 hPa at 25 °C	Vapor pressure: 3.7 kPa at 37.8 °C	yes
9.1		Vapor density: this information is not available	yes
9.1	Viscosity: not determined	Viscosity	yes
9.1		Kinematic viscosity: 8,500 cSt at 25 °C	yes
9.1		Dynamic viscosity: 10,464 cP	yes
9.2		other information: there is no additional information	yes
10.4	Physical stresses which might result in a hazardous situation and have to be avoided: strong shocks		yes
10.5	Incompatible materials: There is no additional information.	Incompatible materials: Oxidizers	yes
11.1	Acute toxicity of components of the mixture		yes
11.1	Skin corrosion/irritation: Shall not be classified as corrosive/irritant to skin.	Skin corrosion/irritation: Causes skin irritation.	yes
11.1	Summary of evaluation of the CMR properties: Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.		yes
11.1	Carcinogenicity		yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
11.1	• National Toxicology Program (United States): none of the ingredients are listed		yes
11.1	• IARC Monographs: none of the ingredients are listed		yes
11.1	Specific target organ toxicity (STOT)		yes
11.1		Germ cell mutagenicity: Shall not be classified as germ cell mutagenic.	yes
11.1		Carcinogenicity: Shall not be classified as carcinogenic.	yes
11.1		Reproductive toxicity: Shall not be classified as a reproductive toxicant.	yes
11.1	Specific target organ toxicity - repeated exposure: May cause damage to organs through prolonged or repeated exposure (if inhaled).	Specific target organ toxicity - repeated exposure: Causes damage to organs through prolonged or repeated exposure.	yes
11.1		Specific target organ toxicity - repeated exposure: change in the listing (table)	yes
11.1	Aspiration hazard: May be fatal if swallowed and enters airways.	Aspiration hazard: Shall not be classified as presenting an aspiration hazard.	yes
12.1	Toxicity: Shall not be classified as hazardous to the aquatic environment.	Toxicity: Harmful to aquatic life with long lasting effects.	yes
12.1	Aquatic toxicity (acute): Shall not be classified as hazardous to the aquatic environment.		yes
12.1	Aquatic toxicity (chronic)		yes
12.1	Aquatic toxicity (chronic) of components of the mixture		yes
12.1	Biodegradation: The relevant substances of the mixture are readily biodegradable.		yes
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.6	Other adverse effects: Data are not available.	Other adverse effects	yes
12.6		Endocrine disrupting potential: None of the ingredients are listed.	yes
14.1	UN number: (not subject to transport regulations)	UN number: not assigned	yes
14.2	UN proper shipping name: not relevant	UN proper shipping name: not assigned	yes
14.3	Transport hazard class(es)	Transport hazard class(es): not assigned	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.3	Class: -		yes
14.4	Packing group: not relevant	Packing group: not assigned	yes
14.5	Environmental hazards: none (non-environmentally hazardous acc. to the dangerous goods regulations)	Environmental hazards: non-environmentally hazardous acc. to the dangerous goods regulations	yes
14.7		Information for each of the UN Model Regulations	yes
14.7		Transport of dangerous goods by road or rail (49 CFR US DOT): Not subject to transport regulations.	yes
14.7		International Maritime Dangerous Goods Code (IMDG): Not subject to IMDG.	yes
14.7		International Civil Aviation Organization (ICAO-IATA/DGR): Not subject to ICAO-IATA.	yes
15.1	National regulations (United States)		yes
15.1	Toxic Substance Control Act (TSCA): all ingredients are listed or exempt from listing		yes
15.1	SARA TITLE III (Superfund Amendment and Reauthorization Act)		yes
15.1	List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section 302 and 304): none of the ingredients are listed		yes
15.1	Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313): none of the ingredients are listed		yes
15.1	Industry or sector specific available guidance(s)		yes
15.1	NPCA-HMIS® III: Hazardous Materials Identification System (American Coatings Association)		yes
15.1		NPCA-HMIS® III: change in the listing (table)	yes
15.1	NFPA® 704: National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)		yes
15.1		NFPA® 704: change in the listing (table)	yes
15.1	Right to Know Hazardous Substance List		yes
15.1		Right to Know Hazardous Substance List: change in the listing (table)	yes
15.1	Proposition 65 List of chemicals: none of the ingredients are listed		yes
15.1	Relevant European Union (EU) safety, health and environmental provisions		yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1	Classification according to GHS (1272/2008/EC, CLP)		yes
15.1		Classification according to GHS (1272/2008/EC, CLP): change in the listing (table)	yes
15.1		National regulations (United States)	yes
15.1		Superfund Amendment and Reauthorization Act (SARA TITLE III)	yes
15.1		The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304): none of the ingredients are listed	yes
15.1		Specific Toxic Chemical Listings (EPCRA Section 313): none of the ingredients are listed	yes
15.1		Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)	yes
15.1		List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4): none of the ingredients are listed	yes
15.1		Clean Air Act: none of the ingredients are listed	yes
15.1.50.5		New Jersey Worker and Community Right to Know Act	yes
15.1.50.5		Right to Know Hazardous Substance List: change in the listing (table)	yes
15.1.50.6		California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987: none of the ingredients are listed	yes
15.1.50.6		Industry or sector specific available guidance(s)	yes
15.1.50.6		NPCA-HMIS® III: Hazardous Materials Identification System. American Coatings Association.	yes
15.1.50.6		NPCA-HMIS® III: change in the listing (table)	yes
15.1.50.6		NFPA® 704: National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).	yes
15.1.50.6		NFPA® 704: change in the listing (table)	yes
15.1.50.6		National inventories	yes
15.1.50.6		National inventories: change in the listing (table)	yes
15.2		Chemical Safety Assessment: Chemical safety assessments for substances in this mixture were not carried out.	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
16	Key literature references and sources for data: - OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200 - 49 CFR § 172.101 Hazardous Materials Table (DOT)	Key literature references and sources for data: OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200. Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes
16		List of relevant phrases (code and full text as stated in chapter 2 and 3): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Agent 99

Version number: GHS 2.0
Replaces version of: 2016-06-02 (GHS 1)

Revision: 2019-06-10

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.